



ISLAND



ÄSTETIK

TEAMWORK

SUPPORT & QUESTIONS: HELLO@JUSTADDPEOPLE.DK






2 PEOPLE NEEDED FOR ASSEMBLY


BOLTS & FITTINGS

LONG BOLT M6×60	16
SHORT BOLT M6×40	4
CROSS DOWEL	4
WOODEN BISCUIT	10
CONNECTOR	3

SCREWS AND PLUGS FOR YOUR FLOOR IS NOT INCLUDED
USE 4 100MM SCREWS THAT SUIT YOUR FLOOR TYPE




Customer



Customer

1


Place 1 base where you would like the table.



2


If your table has a power outlet

Feed the power cable through the middle of the base, towards the center of the table.



3

Mark two spots on the floor through the holes in the base. Remove the base and drill the two holes. **Use the right plugs and screws for your floor type.** Screw the base down. One screw on each side.




4

Insert **2 cross dowels** into the base.

Important: Turn each dowel so it's slot runs vertically, top to bottom.


5



Fit the column onto the base.


If your table has a power outlet: The hole in the column must face inward, toward the other leg. This is where the cable runs under the table. An electrician can now mount the outlet.

6




Screw in **2 short bolts** at the top of the column, in the outer holes.

7




Place one tabletop half onto the column. Use a flashlight to find the threads through the tabletops outer holes.

8




Screw the tabletop down with **4 long bolts** in the outer corners, under the mirror.




9

Repeat steps 4–8 for the second half, this time without fixing it to the floor. You should now have two halves, only one fixed to the floor.




10

Fit the **wooden biscuits** into the loose half and slide it toward the fixed half until they click together.



11

Fit the **3 connectors** underneath the table to hold the two table-halves together. As you tighten, check the two tabletops line up evenly on top of the table.



12

Assemble the two mirrors. Fit the mirrors, one at a time, onto the marked spots. Lift the cover, **finger-tighten 4 long bolts**, then fully tighten each one. Slide the cover back down, repeat for both mirrors and the table is complete.